

MAJESTY 155

Standard Specifications

The content of this document is the property of Gulf Craft
It is supplied in confidence and its contents must be maintained
It must not be reproduced, modified, and must not to be used for any purpose other than that for which it is supplied, nor
information contained be disclosed to unauthorized persons
Requests for reproduction of any data in this document must be addressed to the copyright owners of Gulf Craft
© Gulf Craft Inc 2018. All Rights Reserved

Main Characteristics

Dimensions		
	Feet-In	Meters
Length Overall	156'-2"	47.60
Length Water Line	133'-3"	40.63
Draft	6'-8"	2.05
Beam	31'-6"	9.60
Air Draft	52'-6"	16.00
Design		
Hull Type	Mono Hull	
Hull Material	Fiber Reinforced Plastics (FRP)	
Superstructure Material	Fiber Reinforced Plastics (FRP)	
Yacht Type	Motor Yacht	
Owner's Stateroom + Guest Cabins	05	
Captain's Cabin + Crew Cabins	05	
Number of Guests	10 +02 (Pullman)	
Number of Crew	10	
Displacement	402 tons	
Gross Tonnage	525 GT	
Classification	RINA Pleasure	
Navigation Service	Unrestricted	
Tank Capacities		
	US. Gallons	Liters
Fuel Capacity	14,460	54,737
Fresh Water Capacity	1,904	7,207
Grey Water Capacity	1,884	7,131
Black Water Capacity	550	2,082
Machinery		
Engines	Twin MTU 12V 4000 M63, 2012 HP, 1500 kW, 1800 RPM	
Generators	Twin Kohler 125 kW, 230/400V AC, 50 Hz, 3~phase	
Stabilizer	Twin ABT-TRAC 640 Fin Stabilizer System	
Power System	Electrical, 230/400V AC, 50Hz, 3~phase, 24V DC	
Performance		
Top Speed	17.5 knots*	
Cruising Speed	14.1 knots*	
Range @ 12 knots	4050 NM*	

*Speeds and range estimates may vary depending on cleanliness of hull, and sea conditions

Hull and Superstructure Construction

Reinforcements: Fiber Glass

Resin: Vinylester

Core materials: Styrene Acrylonitrile (SAN) Foam-typical for marine applications

Construction Process

Hand-layup lamination process is employed. Hull and superstructure are laminated into female molds.

During construction process yacht is kept in clean conditions. All finished work is thoroughly protected. Particular attention is given to the covering of materials that could absorb impacts from tools, materials, and workers

Hazards associated with the handling of composite materials are minimized

Gel Coating

Isophthalic gelcoat with low styrene content is employed to create a suitable barrier to water to avoid hydrolysis and ultraviolet degradation. The formulation of gelcoat is for both brush and spray applications. Curing of the gelcoat is done at optimal temperatures using a catalyst recommended by gelcoat manufacturer

Antifouling

Antifouling coating is applied to the hull to prevent growth of subaquatic organisms that may affect a yacht's performance and durability

Exterior Finishing

Hull and superstructure are finished in white paint. The painting work is carried under cover in controlled environment conditions (temperature, humidity, and dust). Manufacturer's recommended procedures are adopted for surface preparation, mixing and reduction, and maintenance of coatings

Superstructure

Decks

Sun Deck

Upper Deck

Main Deck

Exterior

Sun Deck

AISI 316L stainless steel railings with Majesty Logo

Three curved sofas with octagonal teak table

Lower counter

Wet bar with sink, wine cooler, fridge, and ice maker

Five bar stools

Kitchen counter with BBQ grill, induction hob, dishwasher, Combi Oven, and fridge

Two upholstered sofas with teak dining tables

Louver ceiling above the open lounge

Four sunbeds

Warm white exterior lights

Misting cooling ports on ceiling

Self-draining

Teak decking

Upper Deck

AISI 316L stainless steel railings with Majesty logo

Upholstered sunbeds

Upholstered sofa with teak dining table

Side wings

Pantograph doors to wheel house

Stairways to sundeck on port and starboard

Emergency Generator compartment on port
Storage compartment on starboard
Low service counters on port and starboard
Jacuzzi with water fall, teak steps, and AISI 316L stainless steel railing
Sunbeds on port and starboard
Automatic/manual sliding patio door to upper deck saloon
Warm white exterior lights
AISI 316L stainless steel flag post
Self-draining
Teak decking

Fore Deck

Four AISI 316L stainless steel railing
Four AISI 316L stainless steel fairleads
Four AISI 316L stainless steel deck cleats
Six freeing ports
Storage compartments on port and starboard
Two water tight hatches for access to garbage and anchor compartment
Aluminum foremast
Bell
Warm white exterior lights
Self-draining
Teak decking

Main Deck

AISI 316L stainless steel railings
Weathertight doors to main galley and main lobby
Stairway to upper deck on port and starboard
Two AISI 316L stainless steel deck cleats on amidships

Bulwark doors

Two electrohydraulic side boarding ladders

Electro-hydraulic fall down balcony on starboard

Manual sliding patio door to main saloon

Automatic/manual sliding door to main saloon on aft cockpit

Stairway to upper deck on starboard

Weathertight upward opening door and stairway to garage

Upholstered sofas with two round coffee tables

Bulwark doors

Washing sink inside recessed locker

Four AISI 316L stainless steel deck cleats

AISI 316L stainless steel transom doors

Warm white exterior lights

Self-draining

Teak decking

Swim Platform

Removable AISI 316L stainless steel staple rails

Four AISI 316L stainless steel deck cleats

Electrohydraulic beach club door

Overhead showers on port and starboard

Two sunbeds

AISI 316L stainless steel railing to the steps

Teak inlay electrohydraulic transformer (6 steps and 1000 kg lifting capacity)

Teak inlay swim platform

Interior

Accommodation

The arrangement and accommodation layout shall be according to the General Arrangement Plan and Profile

Majesty 155 have four guest cabins and an owner's suite. The owner's suite is on the main deck

It has four crew cabins and a captain's cabin. Captain's cabin is on the wheel house deck

All guest and crew cabins have en-suite bathrooms. Day heads are provided on main deck and upper deck

An elevator ICARO by ICM connects all three decks

Lighting

Warm white dimmable interior lights by Cantalupi

Wall lamps in all guest cabins

Reading lights in crew cabins

Interior Finish

Anigre

Amazakoue

White Oak

Teak

Marble

Onyx

Granite

Safe Locker

Digital safe locker in owner's stateroom

Digital safe locker in captain's cabin

Interior Arrangement

Upper Deck

Wheel House

Main helm station
Two electric adjustable captain's seats
Elevated sofa with dining table
Door to captain's cabin
Audio/Video equipment rack
Wooden floor

Captain's Cabin

Double Bed with side tables
Wardrobe
Vanity desk with stool
Electric roman blinds
Carpeted floor

Captain's Bathroom

Washbasin with mixer tap
Vanity mirror
Open shelves
Electric toilet
Folding glass door to shower room
Sanitary accessories
Corian floor

Captain's Shower

Handheld shower
Niche

Sanitary accessories

Teak grating on floor

Upper Deck Lobby

Elevator

Door to wheel house

Door to upper deck lounge

Day head

Marble floor

Day Head

Washbasin with mixer tap

Vanity mirror

Electric toilet

Pleated blinds

Sanitary accessories

Marble floor

Upper Deck Saloon

Three sofas with marble top side tables

Coffee table

Marble top lower counter

Glass storage open shelves

Electric roman and pleated blinds

Electric curtains to saloon patio door

Carpet inlay under seating area

Wooden floor

Saloon Bar

Open wet bar with sink and marble counter top

Overhead cabinets

Under counter cabinets
Five bar stools
Cooktop - Miele
Fridge/Freezer combination – Miele
Ice maker – Scotsman
Wine cooler – Miele
Dumb waiter - ICM
Marble floor

Main Deck

Main Saloon Entrance

Marble top lower counters
Electric curtains to patio door
Wooden floor with marble inlay

Main Saloon

Three sofas with marble top side tables
Two loose arm chairs
Coffee table
Sliding door to balcony
Electric roman blinds and pleated blinds
Wooden floor

Dining Area

Dining table with glass top and twelve chairs
Marble top lower counters
Open shelves
Electric sliding doors to galley passage and main lobby
Electric roman blinds and pleated blinds
Marble floor

Galley Passage

Marble counter top
Dumb waiter – ICM
Coffee machine – Miele
Wine cooler – Miele
Ice maker – Scotsman
Fire rated door to main galley
Wooden floor

Main Galley

Marble counter top with twin bowl washing sink and mixer tap
Island counter
Overhead cabinets
Undercounter cabinets
Two fridge/freezer combination – Miele
Combi Oven – Miele
Induction Hob – Miele
Electric BBQ grill – Miele
Tepan yaki – Miele
Oven – Miele
Dishwasher – Miele
Undercounter fridge – Siemens
Pleated blinds
Fire rated door to stairway down to crew corridor
Wooden floor

Main Lobby

Elevator
Storage cabinet

Stairway up to upper deck lobby

Day head

Hidden door to main galley

Sliding door to cigar lounge

Door to owner's cabin

Marble floor

Day head

Washbasin with mixer tap

Vanity mirror

Electric toilet

Pleated blinds

Sanitary accessories

Marble floor

Cigar Lounge

Sofa with marble top side tables

Two loose arm chairs

Marble top lower counter

Coffee table

Storage cabinet

Wooden blinds

Owner's Stateroom

Double bed with marble top side tables

Two sofas with marble top side table

Coffee table

Marble top lower counter

Electro-hydraulic flip down balcony

Manual sliding door to balcony

Electric curtains to sliding door

Sliding door to owner's bathroom

Electric roman blinds and pleated blinds

Carpeted floor

Owner's Bathroom

Marble top with two washbasins and mixer taps

Vanity mirror

Open shelves

Hot tub – Sanijet SPA

Electric toilet

Bidet

Storage cabinet with full height mirror on door

Glass door to shower

Sanitary accessories

Pleated blinds

Marble floor

Owner's Walk in Closet

Vanity desk with vanity mirror

Chair

Open shelves

Wardrobes

Pleated blinds

Carpeted floor

Owner's Shower

Head and handheld shower

Shower seat

Niche

Sanitary accessories

Pleated blinds

Marble floor

Lower Deck

Guest Lobby

Elevator

Storage cabinets

Doors to double guest and twin guest cabins

Carpeted floor

Double Guest Cabins

Double Bed with marble top side tables

Loose sofa

Wardrobe

Vanity desk with chair

Open Shelves

Electric roman blinds and pleated blinds

Carpeted floor

Double Guest Bathrooms

Marble top with washbasin and mixer tap

Vanity mirror

Open shelves

Glass door to toilet and shower

Electric toilet

Bidet

Sanitary accessories

Marble floor

Double Guest Showers

Head and handheld shower
Shower seat
Niche
Sanitary accessories
Porthole with pleated blinds
Marble floor

Twin Guest Cabins

Two single beds with side tables
Vanity desk with chair
Vanity mirror
Pullman bed
Wardrobe
Electric roman blinds and pleated blinds
Carpeted floor

Twin Guest Bathrooms

Marble top with washbasin and mixer tap
Vanity mirror
Open shelves
Electric toilet
Bidet
Glass door to shower
Marble floor

Twin Guest Showers

Head and handheld showers
Shower seat
Niche
Porthole with pleated blinds

Sanitary accessories

Marble floor

Crew Corridor

Doors to crew cabins

Laundry area

Crew Pantry and Lounge

Resilient tiles floor

Crew Laundry

Cold Storage and Freezer Room

Two dryers

Two washing machines

Storage cabinets

Resilient tiles floor

Crew Pantry and Lounge

Corian counter top with bowl sink and mixer tap

Under counter drawers and cabinets

Fridge/Freezer combination – Miele

Dishwasher – Miele

Microwave Oven – Miele

U shaped sofa with foldable dining table

Open shelves

Porthole with pleated blinds

Resilient tiles floor

Crew Cabins

Bunk beds

Pullman bed

Niches

Wardrobe

Working desk with stool and storage cabinets

Porthole with pleated blinds

Resilient tiles floor

Crew Bathrooms

Washbasin with mixer tap

Vanity mirror with cabinet

Open shelves

Electric toilet

Folding glass door to shower

Sanitary accessories

Crew Showers

Hand shower

Sanitary accessories

Teak grating on floor

Forward Crew Cabins

Bunk beds

Niches

Wardrobe

Porthole with pleated blinds

Resilient tiles floor

Forward Crew Bathrooms

Washbasin with mixer tap

Vanity mirror with cabinet

Electric toilet

Hand shower

Sanitary accessories

Teak grating on floor

Garage

Overhead crane with 2000 kg lifting capacity by Besenconi

Electrohydraulic garage door on starboard

Fire rated/water tight door to Engine control room

Self-draining

Resilient tiles floor

Beach Club

Two sofas with coffee tables

Marble counter top with washing sink and mixer tap

Marble counter top with undercounter fridge

Hidden water tight doors to rudder compartment

Fire rated/water tight door to garage

Self-draining

Teak decking

Tunnel

15.47 m long tunnel from engine room to forward crew corridor

Main Machinery and Equipment

Propulsion System

Twin MTU 12V 4000 M63, 2012 HP, 1500 kW, 1800 RPM Continuous Duty Rated Engines

Propulsion is straight shaft drive

Twin reverse reduction gearbox ZF5055A with gear ratio 2.962:1A

Twin power take offs (P.T.O)

Twin five blade propellers by CJR

Stabilization System

Twin ABT-TRAC 640 fin stabilizers with zero speed stabilization

Exhaust and Ventilation System

Exhaust and ventilation reversible fans with fire dampers in engine room by Gianneschi

Aluminum mist eliminator for the engine room

Natural air ventilation in the engine room

Circulation fans in the engine room by Gianneschi

Automatic fire dampers for natural ventilation in main galley, and engine room by Gianneschi

Exhaust blowers in all bathrooms by Gianneschi

Steering System & Maneuvering

Twin rudders operated by electro-hydraulic servo assisted steering system by Jastram

Up to 150 HP hydraulic bow thruster with control joystick on main helm station, wing stations, and docking station by ABT-TRAC

Control Stations

Main helm station

Wing stations

Docking station

Emergency steering

Anchoring and Mooring Equipment

Twin hydraulic vertical windlasses VRC8000 with deck handheld controls by Maxwell

Two digital chain counters on the main helm station by Maxwell

Twin 230 Kg pool type HHP anchors each with 220 m length and 19mm diameter U2 stud link chain

Pressure washing of anchor chain by fresh water

Twin VC6000 4 kW, 400V AC electric capstans with flush mounted foot switches

Mooring lines strictly as per RINA rules

Sound Signaling

Compressed air horn with five trumpets and chrome finish on hard top by Kahlenberg

Horn switches on main helm station, wings stations, and docking station

Whistle control integrated with general alarm system by Kahlenberg

Twin air compressors and air tank for the horn

Search Light

Forward search light by Francis

Aft search light by Francis

Control panels on main helm station

Cathodic Protection

Zinc anodes

Copper plates

Yacht Systems

Fuel Transfer System

14,460 US gallons (54,737 liters) FRP fuel tanks with interconnection
Deck fillers inside recessed lockers with overflow drain on main deck amidships
Fuel purification system MIB 303 by Alfa Laval is connected to fuel transfer system
Fuel transfer system comprises of an AC pump, emergency DC pump, and a manual pump by Gianneschi
Fuel supply to engines and generators is from day tank
Fuel distribution manifold and piping is AISI 316L stainless steel

Lube Oil System

Two FRP lube oil tanks, 170 US Gallons (643.5 liters) Clean lube oil tank and 170 US Gallons (643.5 liters) Dirty lube oil tank
Lube oil system comprises of AISI 316L distribution manifold
Lube oil change AC and manual pumps by Gianneschi
Deck filler for clean lube oil tank
Deck outs for clean and dirty lube oil tanks
AISI 316L stainless steel lube oil manifold

Oily Bilge Separator System

Two 200 US gallons (757 liters) FRP tanks for oily water and bilge
Oily water separator has been installed complying with MARPOL regulations
Deck outs for oily and bilge water tanks
AISI 316L stainless steel piping

Air Conditioning System

Two air conditioning chillers each with the cooling capacity of 696,000 BTU
Two sea water pumps
Two chilled water pumps
Air handler units with capacities ranging from 4500 to 24,000 BTU
Self-contained units are installed in engine room, garage, and rudder compartment
Air handler's drains is accumulated in 60 US gallons AC drain tank

Fresh Water System

1,904 US gallons (7,207 liters) FRP fresh water tank
560 US gallons (2,119 liters) FRP SPA fresh water tank
Two fresh water AC pumps, and an emergency DC pump by Gianneschi
Deck fillers inside recessed lockers on main deck amidships
Four 200 liters water heaters by Gianneschi
Two hot water circulation pumps by Grundfos
Water maker with 660 liters/hour production capacity by HP
Seven deck wash connections at following areas upper deck aft, upper deck forward, main deck aft, swim platform, garage, tunnel, and anchor handling
Marina shower with hot and cold water mixer

Grey Water System

Two 942 US gallons (3565 liters) FRP grey water tanks with interconnection
200 US gallons (378 liters) FRP garage/beach club drain tank
Two AC discharge pumps for discharging grey water by Gianneschi
Deck out for overboard discharge to port/marina
Polished AISI 316L stainless steel scuppers on all decks
Grey water system piping is uPVC and AISI 316L stainless steel

Black Water System

Two 275 US gallons (2,082 liters) FRP black water tanks with interconnection
Sewage treatment plant Ecomar 16 with treating capacity of 6000 liters/day
AC discharge pump for black water discharge by Gianneschi
Booster pump for transfer to STP by Tecnicomar
Deck out for overboard discharge to port/marina
Electric toilets by Tecma
Polished AISI 316L stainless steel scuppers on all decks

Bilge System

Bilge suction strainers in all watertight compartments

Main Bilge pump connected to the Bilge manifold and interconnected to the main fire pump

High water alarm sensors in all watertight compartments

High water bilge alarm system integrated with alarm and monitoring system

AISI 316L stainless steel piping

Freezer and Cold Storage System

Two condensing units for freezer and cold storage room by Veco

An evaporator unit in each cold storage and freezer room

Sea water intake main and back up pump for condensing units by Gianneschi

Air Mist System

High pressure mist cooling system with stainless steel low profile misting ports has been installed in the exterior ceiling on all three decks by Misting Direct

Electrical System

Line voltage: 230V-400V AC 3~phase, 50Hz

DC voltage: 24V

Twin Kohler 125 kW, 230/400V AC, 50 Hz, 3~phase generators with load distribution by Kohler

Emergency generator 22 kW, 230/400V AC, 50 Hz, 3~phase by Northern Lights

Dockside cable master system CM8 with 25 m cable length by Glendenning

Main switch board (400V, 3~phase, 50 Hz) installed in engine control room

100 A Galvanic Isolators by DEI Marine

80A battery charger by Victron Energy for charging engines batteries

30 A battery charger by Victron Energy for charging generators batteries

100 A battery charger by Victron Energy for charging service and machinery batteries

80 A battery charger by Victron Energy for charging emergency batteries

Four 12V, 270AH gel batteries for engines by Exide

Four 12V, 200AH gel batteries for service and machinery by Exide

Four 12V, 100AH gel batteries for generators by Exide

Two 12V, 200AH gel batteries for emergency by Exide

All accommodation and machinery spaces have 230V AC power outlets by Vimar

Navigation System, Radio & Instrumentation

Navigation & Radio System

Furuno navigation and radio system

Night vision camera M324CS by FLIR

Five 26" Navigational Displays on main helm

NavNet 3D by Furuno

Electronic Chart Display and Information System (ECDIS) FMD-3300 by Furuno

Two Ultra High Definition radar scanners DRS4A and DRS12A by Furuno

Overhead gimballed magnetic compass in wheel house by Cassens & Plath

Gyro compass STD-22 by Raytheon Anschutz

Satellite compass SC-30 by Furuno

Magnetic compass in emergency steering station by Ritchie

Global positioning system receiver GP330B by Furuno

Instrument/data organizer FI-70 display panel/digital indicator on main helm, and emergency steering by Furuno

Digital Fish Finder DFF1 Network Sounder by Furuno

Facsimile receiver FAX-30 by Furuno

Automatic Identification System FA-170 by Furuno

Autopilot Navpilot 700 with heading sensor by Furuno

GMDSS (Global Maritime Distress and Safety System)

Sea Area A3 GMDSS equipment by Furuno

Instrumentation

Two echo sounders CA50/200-12M and 525STID-MSD by Furuno for temperature, speed, and depth measurement

Two wind transducers WS200 integrated with instrument display on main helm station

Lightning arrester

Alarm Display & Monitoring System

Alarm display and monitoring system is integrated with the general alarm system, tank sensors for level monitoring, navigation lights, black & grey water pumps, exhaust temperature measurement, emergency batteries voltage levels, door & hatches sensors for monitoring, and bilge monitoring

The display panels are fitted on main helm station, control room, and crew corridor

Camera Monitoring System

CCTV camera monitoring system by Axis with 360 degrees pan and 12x optical zoom dome cameras at the following locations:

Engine room (Port and Starboard)

Beach club

Main deck gunwale (Port and Starboard)

Aft cockpit

Radar mast

Communication System

Vingtor Stentofon Intercom system with cordless handsets in all accommodation, galley, and crew areas by Zenitel

Thuraya satellite phone with docking station

Public address system strictly as per Rules

Navigation Lights

Following navigation lights by Dan Haan Rotterdam are installed:

Masthead light

Side light (Port)

Side light (Stbd)

Stern light

Towing light

Anchor light

Not under command lights

Navigation lights are controlled from AMS Displays

Emergency Lighting

24V DC Emergency lights in all accommodation and machinery areas

Flood Lights

Two flood lights on hard top aft

Two flood lights on sundeck aft

Two flood lights on upper deck aft

Two flood lights on foremast

Underwater Lights

Forty three (43) white underwater lights covering the hull from bow to stern Ultimate 130SA by underwater light limited

Fire Prevention and Safety Equipment

Structural Fire Protection

Structural fire protection in the engine room, main galley, garage, and accommodation areas where applicable according to Rules and regulations

Fire Detection and Fire Alarm System

General alarm and fire detection panels on main helm station

Smoke detectors

Heat detectors

Call points

Fire bells

Bell with beacon light

Fire Appliances

FM-200 fixed fire extinguishing system FES-147L for engine room by Fire Buoy

Main fire pump for fire-fighting supplying sea water to fire hydrants points by Gianneschi

Emergency diesel pump for fire-fighting and bilge discharge installed in water tight compartment by Gianneschi

Fire Axe

Fire blankets in galleys

Dry powder, CO₂, and Foam fire extinguishers in machinery and accommodation areas by Firex

International shore connection with isolation valve and fire hydrant

Fire sprinkler system and gasoline vapor detection system in garage

Portable Foam applicator

Life Saving Appliances

Six life rafts SOLAS Pack A each with 10 persons capacity each

Immersion suits (28 adult + 08 child)

Thermal protective aids

Four first aid kits

Four set of line throwing appliances

Two sets of rocket parachute flares

Three two-way radiotelephone sets

Two search and rescue transponders

Emergency position indicating radio beacon (EPIRB)

Inflatable life jackets with light and whistle (28 adults + 08 child)

Two lifebuoys with light and smoke (MOB signals)

Three lifebuoys with line

Three lifebuoys with light

Two plain life buoys

Two fireman's outfit

Two embarkation ladders

Safety Plan poster

Entertainment System

Satellite entertainment TV system TV8 by KVH Tracvision. Two domes on hard top

Audio Video system with Automation by Bang & Olufsen

Sun Deck

55" Waterproof TV by Proof vision with TV lift mechanism by Future Automation

Six ceiling mounted speakers + two subwoofers by Origin

Two DJ ports by Origin

Outdoor access point

HDMI Extender

Media Hub by Teleadapt

Satellite Receiver by Humax

Upper Deck Lounge

Beovision Eclipse 65" TV

Two Beolab 3 speakers

Indoor access point

HDMI extender

Media Hub by Teleadapt

Satellite Receiver by Humax

Captain's Cabin

Beovision 11-40 40" TV

Indoor access point

HDMI extender

Media Hub by Teleadapt

Wheel House

Two ceiling mounted speakers by Origin

Main Saloon

Beovision Avant 75" TV

Indoor access point

Two Beolab 3 speakers

HDMI Extender

Media Hub by Teleadapt

Satellite receiver by Humax

Owner's Cabin

Beovision Avant 55" TV

Indoor access point

Two Beolab 3 speakers

HDMI Extender

Media Hub by Teleadapt

Satellite receiver by Humax

Double Guest Cabins

Beovision 11-40 40" TV

HDMI Extender

Media Hub by Teleadapt

Satellite receiver by Humax

Twin Guest Cabins

Beovision 11-40 40" TV

HDMI Extender

Media Hub by Teleadapt

Satellite receiver by Humax

Crew Lounge & Pantry

Samsung 32" TV

Media Hub by Teleadapt

Satellite receiver by Humax

MAJESTY 155 OPTIONS

- RINA Commercial classification for chartering
- Compliance with Maritime and Coast Guard Agency (MCA) Large Yacht code LY3
- Yacht Name by Yachtlite
- Awning on sundeck aft
- Awning on upper deck forward and aft
- Smart automation system for lighting, music, shades, and TV by Control 4
- Electrohydraulic Passarella by Opacmare
- Shore power converter 90 kW SPC-II by MarPower
- Upto 100 HP hydraulic stern thruster
- Portable air compressor by Bauer Compressors
- 55" Waterproof TV by Proof vision with TV swivel mechanism by Future Automation on upper deck aft
- Marquipt sea stair
- Inmarsat Fleet broadband FELCOM 500 by Furuno
- Two jet skis
- Dinghy